Chem 210 – Exam 3b Spring 2009

Chemistry 210

Name:

Exam 3

Be sure to put your name on each page. This page can be removed from your exam so that you will have a Periodic Table handy throughout the exam, it does not need to be turned in. Show all your work for problems which require any sort of calculation, no credit will be given for answers without work shown. If you have shown a significant amount of work or multiple drawings for a problem, draw a box around what you consider your final answer.

Avogadro's Number =
$$6.022 \times 10^{23} \text{ units}/_{mol}$$

 $32.00^{\circ}\text{F} = 0.000^{\circ}\text{C} = 273.15\text{K}$
Density of Water = $1.000^{\text{g}}/_{\text{mL}}$
 $R = 0.08206^{\text{L*atm}}/_{mol*\text{K}} = 8.314^{\text{J}}/_{mol*\text{K}}$
 $PV=nRT$
 $\Delta T_{\text{fp/bp}} = k_{\text{fp/bp}} \cdot \text{m} \cdot \text{i}$
For water: $k_{\text{fp}} = -1.86^{\circ}\text{C}/_{\text{m}}$
 $k_{\text{bp}} = 0.512^{\circ}\text{C}/_{\text{m}}$
 $P_1 = X_1P_1^{\circ}$
 $\Pi = MRTi$
 $C_1V_1 = C_2V_2$

Integrated Rate Laws:

$$ln[A]_{t} = -kt + ln[A]_{o}$$

$$1/[A]_{t} = kt + 1/[A]_{o}$$

$$[A]_{t} = -kt + [A]_{o}$$

$$k = Ae^{-Ea/RT}$$

$$ln(k) = \left(\frac{-E_{a}}{R}\right)\left(\frac{1}{T}\right) + ln(A)$$

$$ln\left(\frac{k_{1}}{k_{2}}\right) = \frac{E_{a}}{R}\left(\frac{1}{T_{2}} - \frac{1}{T_{1}}\right)$$

$$pH = pK_{a} + log\left(\frac{[conjugate base]}{[conjugate acid]}\right)$$

$$\begin{split} E_{cell} &= E^{o}_{cell} - {}^{RT}/{}_{nF} lnQ \\ E^{o}_{cell} &= {}^{RT}/{}_{nF} lnK^{o} \\ K^{o} &= e^{A}({}^{nF}/{}_{RT} E^{o}_{cell}) \\ F &= 96485 {}^{J}/{}_{V \cdot mol \ of \ electrons} \\ \Delta G^{o} &= \Delta H^{o}_{system} - T\Delta S^{o}_{system} \\ \Delta G^{o} &= -nFE^{o}_{cell} &= -RT lnK^{o} \\ \Delta G &= \Delta G^{o} + RT lnQ \\ F &= 96485 {}^{C}/{}_{mol \ electrons} \\ 1A &= 1 \ C / sec \end{split}$$

Quadratic formula:

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

	_																
1																	2
н																	He
1.0079																	4 0026
3	4											5	6	7	8	9	10
T;	Bo											P	C	N	Ô	Г	No
L /I	De											D		14.007	15,000	L 18.009	110
0.941	9.0122											10.811	12.011	14.007	13.999	18.998	18
NI-	12											13	C!	D IS	10 C		10
Na	Mg											AI	51	r	3	U U	Ar
22.990	24.305								20	•	20	26.982	28.086	30.974	32.066	35.453	39.948
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
Κ	Ca	Sc	Ti	V	Cr	Mn	Fe	Со	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
39.098	40.078	44.956	47.88	50.942	51.996	54.938	55.847	58.933	58.69	63.546	65.39	69.723	72.61	74.922	78.96	79.904	83.80
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	Ι	Xe
85.468	87.62	88.906	91.224	92.906	95.94	(98)	101.07	102.91	106.42	107.87	112.41	114.82	118.71	121.76	127.60	126.90	131.29
55	56	57	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
Cs	Ba	La	Hf	Та	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn
132.91	137.33	138.91	178.49	180.95	183.84	186.21	190.23	192.22	195.08	196.97	200.59	204.38	207.2	208.98	(209)	(210)	(222)
87	88	89	104	105	106	107	108	109	110	111	112		114		116		
Fr	Ra	Ac	Rf	Dh	Sσ	Rh	Hs	Mt									
(223)	226.03	227.03	(261)	(262)	(263)	(262)	(265)	(266)	(269)	(272)	(277)						
(223)	225.05	227.05	(201)	(202)	(200)	(202)	(200)	(200)	(20))	(272)	(277)	I		1		1	
					-							-	-			•	
		58	59	60	61	62	63	64	65	66	67	68	69	70	71	1	
			D	N T 1	D	a	T	01		D	TT			X 71	T	1	

58	59	60	61	62	63	64	65	66	6/	68	69	70	/1
Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Но	Er	Tm	Yb	Lu
140.12	140.91	144.24	(145)	150.36	151.97	157.25	158.93	162.50	164.93	167.26	168.94	173.04	174.97
90	91	92	93	94	95	96	97	98	99	100	101	102	103
Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr
232.04	231.04	238.03	237.05	(244)	(243)	(247)	(247)	(251)	(252)	(258)	(258)	(259)	(260)

1. Complete each row of the following tables for aqueous solutions at 25°C (4pts per box):

[H ₃ O ⁺]	[OH ⁻]	рН	рОН	Acidic, Basic or Neutral?
5.182x10 ⁻⁹				
			5.993	

Conjugate Acid	K _a @25°C	Conjugate Base	K _b @25°C
H_3O^+			$1.0 \mathrm{x} 10^{-14}$
	6.2x10 ⁻⁸	SO_{3}^{2}	

2. Explain why each of the following *does not* result in an effective buffer? (15pts) 1.24mol NH₄NO₃(aq) + 0.03mol NH₃(aq)

0.38mol HI(aq) + 0.38mol NaI(aq)

 $1.28mol Na_2CO_3(aq) + 0.64mol NaOH(aq)$

3. How much 0.362M NaOH(aq) must be added to 25.00mL of 0.594M HCl(aq) to reach the equivalence point? What is the pH of this solution at the equivalence point? (10pts)

Name: _

Chem 210 – Exam 3b Spring 2009

4. Describe how you would prepare 1.00L of a 1.00M buffer at pH 7.15. You have the following reagents available: Nitrous acid (HNO₂, $K_a = 7.2 \times 10^{-4}$), Hydrosulfuric acid (H₂S, $K_a = 1.1 \times 10^{-7}$), Boric acid (H₃BO₃, $K_a = 5.8 \times 10^{-10}$), NaOH(s), distilled/deionized water. (15pts)

5. What is the K_b of a base if 500.0mL of a solution containing 0.228 mol of the base and 0.282 mol of its conjugate acid has a pH of 5.951? Over what pH range would this conjugate acid/ conjugate base pair make an effective buffer? (12pts)

- 6. You are going to use a titration to determine the concentration of an unknown selenic acid solution (H_2SeO_4 , $pK_a = -7$). The base you have chosen to use is 1.003M sodium hydroxide.
 - a. Write out the chemical equations for the step-wise deprotonation/neutralization of selenic acid and the overall/net chemical reaction. (6pts)
 - b. Sketch the titration curve you would expect for this titration, labeling all equivalence points and selenic acid-based species present in each portion of the curve. (5pts)

Name: ___

(#6 continued...)

c. Someone left your pH probe laying on the bench and it has dried out. After a short search, you have found the following three visual indicators: Thymolphthalein (TP, endpoint pH range = 9.5-10.5); Bromothymol Blue (BTB, endpoint pH range = 6.0-7.5); 2,4-dinitrophenol (DNP, endpoint pH range = 2.8-4.0). Which of these visual indicators would be useful in your titration? Explain your choices. (10pts)

d. As you are about to start your titration, a package arrives with a new pH probe, so you decide to use the pH probe to monitor your titration. You find that 50.00mL of selenic acid requires 43.94mL of sodium hydroxide to reach the second equivalence point. What is the concentration of the selenic acid solution? (10pts)

e. How much sodium hydroxide solution was required to reach the first equivalence point in part "d"? Explain your answer. (4pts)

7. Which solution has a higher concentration of silver(I) ions? Explain your answer. (15pts) Saturated silver(I) chloride, $K_{sp}(AgCl) = 1.77x10^{-10}$ Saturated silver(I) phosphate, $K_{sp}(Ag_3PO_4) = 8.89x10^{-17}$