## **Chemistry 210**

Exam 3

Be sure to put your name on each page. This page can be removed from your exam so that you will have a Periodic Table handy throughout the exam, it does not need to be turned in. Show all your work for problems which require any sort of calculation, no credit will be given for answers without work shown. If you have shown a significant amount of work or multiple drawings for a problem, draw a box around what you consider your final answer.

Avogadro's Number =  $6.022 \times 10^{23}$  units/ $_{mol}$  32.00°F = 0.000°C = 273.15K Density of Water =  $1.000^g/_{mL}$  R = 0.08206  $_{-atm}^{L*atm}/_{mol*K} = <math>8.314$   $_{-mol*K}^{J}$  PV=nRT  $\Delta T_{fp/bp} = k_{fp/bp}$  m\*i For water:  $k_{fp} = -1.86$   $_{-mol*K}^{\circ C}/_{m}$   $k_{bp} = 0.512$   $_{-mol*K}^{\circ C}/_{m}$  P<sub>1</sub> =  $X_1P_1$ °  $\Pi$  = MRTi  $C_1V_1 = C_2V_2$  Quadratic formula:  $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2}$ 

$$\begin{split} & \text{Integrated Rate Laws:} \\ & 0^{\text{th}} \text{ order} \qquad [A]_t = -kt + [A]_o \\ & 1^{\text{st}} \text{ order} \qquad \ln[A]_t = -kt + \ln[A]_o \\ & 2^{\text{nd}} \text{ order} \qquad 1/[A]_t = kt + 1/[A]_o \\ & k = Ae^{-Ea/RT} \\ & \ln(k) = \left(\frac{-E_a}{R}\right) \left(\frac{1}{T}\right) + \ln(A) \\ & \ln\left(\frac{k_1}{k_2}\right) = \frac{E_a}{R} \left(\frac{1}{T_2} - \frac{1}{T_1}\right) \\ & pH = pK_a + \log\left(\frac{[\text{conjugate base}]}{[\text{conjugate acid}]}\right) \end{split}$$

$E_{cell} = E^{o}_{cell} - {^{RT}}/_{nF} \ln Q$
$E_{cell}^{o} = {RT \choose nF} ln K^{o}$
$K^{o} = e^{(nF)}_{RT} E^{o}_{cell}$
$F = 96485  \text{J}_{\text{V-mol of electrons}}$
$\Delta G^{o} = \Delta H^{o}_{system} - T\Delta S^{o}_{system}$
$\Delta G^{o} = -nFE^{o}_{cell} = -RTlnK^{o}$
$\Delta G = \Delta G^{o} + RT lnQ$
$F = 96485$ $^{\rm C}/_{\rm mol\ electrons}$
1A = 1 C / sec

1																	2
H																	He
1.0079		_															4.0026
3	4											5	6	7	8	9	10
Li	Be											В	C	N	O	$\mathbf{F}$	Ne
6.941	9.0122											10.811	12.011	14.007	15.999	18.998	20.180
11	12											13	14	15	16	17	18
Na	Mg											Al	Si	P	S	Cl	Ar
22.990	24.305											26.982	28.086	30.974	32.066	35.453	39.948
19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
K	Ca	Sc	Ti	$\mathbf{V}$	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
39.098	40.078	44.956	47.88	50.942	51.996	54.938	55.847	58.933	58.69	63.546	65.39	69.723	72.61	74.922	78.96	79.904	83.80
37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
Rb	Sr	$\mathbf{Y}$	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe
85.468	87.62	88.906	91.224	92.906	95.94	(98)	101.07	102.91	106.42	107.87	112.41	114.82	118.71	121.76	127.60	126.90	131.29
55	56	57	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
Cs	Ba	La	Hf	Ta	$\mathbf{W}$	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn
132.91	137.33	138.91	178.49	180.95	183.84	186.21	190.23	192.22	195.08	196.97	200.59	204.38	207.2	208.98	(209)	(210)	(222)
87	88	89	104	105	106	107	108	109	110	111	112		114		116		
Fr	Ra	Ac	Rf	Db	Sg	Bh	Hs	Mt									
(223)	226.03	227.03	(261)	(262)	(263)	(262)	(265)	(266)	(269)	(272)	(277)						

58	59	60	61	62	63	64	65	66	67	68	69	70	71
Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu
140.12	140.91	144.24	(145)	150.36	151.97	157.25	158.93	162.50	164.93	167.26	168.94	173.04	174.97
90	91	92	93	94	95	96	97	98	99	100	101	102	103
Th	Pa	$\mathbf{U}$	Np	Pu	Am	Cm	$\mathbf{B}\mathbf{k}$	Cf	Es	Fm	Md	No	Lr
232.04	231.04	238.03	237.05	(244)	(243)	(247)	(247)	(251)	(252)	(258)	(258)	(259)	(260)

Page 1

1. Complete each row of the following tables for aqueous solutions at 25°C (4pts per box):

$[\mathrm{H_3O^+}]$	[OH <sup>-</sup> ]	pН	рОН	Acidic, Basic or Neutral?
	3.61x10 <sup>-9</sup>			
		8.591		

Conjugate Acid	K <sub>a</sub> @25°C	Conjugate Base	К <sub>b</sub> @25°С
HCN			$3.0 \text{x} 10^{-5}$
	2.9x10 <sup>-7</sup>	HPO <sub>3</sub> <sup>2-</sup>	

2. A labmate has prepared a sulfite/hydrogen sulfite buffer solution at pH=7.09, but does not write much information down in a lab notebook. You know that the concentration of the buffer is 0.63M and pK<sub>b</sub>=6.80 for SO<sub>3</sub><sup>-2</sup>(aq). Is the concentration of conjugate acid higher in this buffer or is the concentration of conjugate base in this buffer higher? Over what pH range would sulfite/hydrogen sulfite make an effective buffer? Explain your answers. (8pts)

3. What is the expected pH of a 0.464M aqueous solution of potassium nitrite?  $\{K_b(NO_2^{-1})=2.2x10^{-11}\}$  (10pts)

4. You have prepared a buffer solution by combining 0.472mols of acetic acid ( $HC_2H_3O_2$ ,  $K_a = 1.8x10^{-5}$ ) and 0.394mols of sodium acetate in enough water to make 400.0mL of solution. What is the pH of this buffer solution? (10pts)

5. How much 0.237M HClO<sub>4</sub>(aq) must be added to 25.00mL of 0.144M KOH(aq) to reach the equivalence point? What is the pH of this solution at the equivalence point? Explain. (10pts)

6. What is the K<sub>b</sub> of a weak base if 500.0mL of a solution containing 0.181mol of the base and 0.216mol of its conjugate acid has a pH of 6.815? Over what pH range would this conjugate acid/conjugate base pair make an effective buffer? (10pts)

For questions 7-12: You are going to use a titration to determine the concentration of an unknown sulfurous acid solution ( $H_2SO_3$ ,  $pK_a = 1.77$ ). The base you have chosen to use is 0.715M potassium hydroxide.

7. Write out the chemical equations for the step-wise deprotonation/neutralization of sulfurous and the overall/net chemical reaction. (8pts)

8. You titrate 20.00mL of the unknown sulfurous acid solution to the second equivalence point with 32.62mL of potassium hydroxide solution. What is the concentration of the unknown sulfurous acid solution? (10pts)

9. What is the pH of the sulfurous acid solution before the titration begins? (10pts)

10. What is the expected pH when the titration in #8 reaches the *first* equivalence point? (10pts)

11. Sketch the titration curve you would expect for this titration, labeling all equivalence points and sulfurous acid-based species present in each portion of the curve. (10pts)

12. You will have to repeat this titration regularly as part of your job and would like to use a visual indicator in the future. You have the following indicators available: Bromocresol Green (BCG, endpoint range = 3.8-5.4), Brilliant Yellow (BY, endpoint range = 6.6-7.8), Thymol Blue (TB, endpoint range = 8.0-9.6). Which of these visual indicators would be useful in your titration? Explain your choice(s). (8pts)